DOCKET FILE COPY ORIGINAL

FISHER WAYLAND COOPER LEADER & ZARAGOZA L.L.P.

2001 PENNSYLVANIA AVENUE, N.W SUITE 400

WASHINGTON, D. C. 20006-1851

TELEPHONE (202) 659-3494

ORIGINAL

(202) 296-6518

NOT ADMITTED IN D.C.

(202) 775-3544

INTERNET

rgalbreath@fwclz.com

March 10, 1997

Via Hand Delivery

William F. Caton, Acting Secretary Federal Communications Commission 1919 M Street, N.W., Room 222 Washington, D.C. 20554

Re: Notice of Proposed Rule Making

MM Docket No. 97-18

RM-8943

RECEIVED

MAR 1 0 1997

FEDERAL COMPANIED TOURS OF SWISSION
SPACE OF SECRETARY

Dear Mr. Caton:

On behalf of GulfStar Communications New Mexico Licensee, Inc., there are submitted herewith an original plus four copies of Comments filed in response to the above-referenced Notice of Proposed Rule Making. Should there be any questions regarding the materials submitted herewith, please contact this firm.

Very truly yours,

Robert L. Galbreath

RLG:wp Attachments 3676-033

No. of Copies rec'd 1

The second secon

Before the FEDERAL COMMUNICATIONS COMMISSION Washington, D.C. 20554

RECEIVED

In the Matter of)		FEDERAL CONTROL STATEMENT
)		STORY OF SECURITY AND ASSISTANCE OF THE SECURITY OF THE SECURI
Amendment of Section 73.202(b))	MM Docket No. 97-18	2
Table of Allotments)	RM-8943	
FM Broadcast Stations)		
(Durango, Colorado))		

COMMENTS OF GULFSTAR COMMUNICATIONS NEW MEXICO LICENSEE, INC.

GulfStar Communications New Mexico Licensee, Inc. ("GulfStar"), by counsel and pursuant to Section 1.415 of the Commission's Rules, hereby submits its comments in response to the above-captioned Notice of Proposed Rule Making ("NPRM") to allot Channel 243A to Durango, Colorado. For the reasons discussed herein, GulfStar proposes as an alternative the allotment of Channel 287A to that community.

On February 28, 1997, GulfStar became the licensee of Station KDAG(FM), Farmington, New Mexico pursuant to the consummation of an assignment of the station license to GulfStar from J. Thomas Development of New Mexico, Inc.^{1/2} Station KDAG currently operates on Channel 245C1. In the NPRM, the Commission proposed site restrictions for the new Durango, Colorado allotment in order to avoid a short-spacing to the licensed facilities of Station KDAG.^{2/2}

Concurrently herewith, GulfStar is filing an application for upgrade of Station KDAG to full Class C status. A copy of that application is attached hereto as Exhibit 1. While the Commission's site restriction placed on the Durango allotment would protect the operation of

See FCC File No. BALH-961212EC.

NPRM at Note 2.

Station KDAG as currently licensed, such restriction is insufficient to protect the upgrade of that facility proposed by GulfStar, thereby preventing KDAG from serving its maximum potential audience. Therefore, GulfStar offers a counterproposal to the allotment proposed in the NPRM. Instead of Channel 243A, GulfStar proposes that the Commission allot the alternative Channel 287A to Durango.

Attached hereto as Exhibit 2 is a Technical Exhibit prepared by GulfStar's engineers demonstrating that Channel 287A can be allocated to Durango, Colorado clear of all existing stations or pending applications with the exception of a construction permit for Station KRYD, Telluride, Colorado.^{3/} The Technical Exhibit also demonstrates that suitable sites exist for the allotment of Channel 287A to Durango.

The public interest would be served by the adoption of GulfStar's alternative to the proposal set forth in the NPRM. The allotment of Channel 287A to Durango, Colorado would provide that community with a fourth FM service without restricting GulfStar's ability to operate Station KDAG at Farmington, New Mexico to its greatest possible power. GulfStar's proposal provides for the more efficient distribution of radio voices in northern New Mexico and southern Colorado.

Station KRYD has a construction permit for Class C1 service. In order to avoid a short-space, the allotment of Channel 287A to Durango as proposed in Exhibit 2 would require a minor site restriction of 1.4 kilometers to the south. However, there is pending an application to downgrade Station KRYD from C1 to C3 (see FCC File No. BMP-961220IC). If granted, this downgrade would eliminate the need for such restriction.

Conclusion

Therefore, for the reasons set forth herein, GulfStar respectfully requests that the Commission reject the proposed allotment of Channel 243A to Durango, Colorado, and instead allot Channel 287A to that community.

Respectfully submitted,

GULFSTAR COMMUNICATIONS NEW MEXICO LICENSEE, INC.

Martin R. Leader Robert L. Galbreath

C. Brooke Temple, III

Its Attorneys

Fisher Wayland Cooper Leader & Zaragoza L.L.P. 2001 Pennsylvania Ave., N.W. Suite 400 Washington, D.C. 20006 (202) 659-3494

March 10, 1997

GulfStar Communications New Mexico Licensee, Inc.

EXHIBIT 1

FISHER WAYLAND COOPER LEADER & ZARAGOZA L.L.P.

2001 PENNSYLVANIA AVENUE, N.W. SUITE 400

WASHINGTON, D. C. 20006-1851

C. BROOKE TEMPLE III (202) 775-3545

TELEPHONE (202) 659-3494

FACSIMILE

(202) 296-6518

NOT ADMITTED IN D.C.

INTERNET

ctemple@fwclz.com

March 10, 1997

Via Courier Delivery to Mellon Bank

William F. Caton, Acting Secretary Federal Communications Commission 1919 M Street, N.W., Room 222 Washington, D.C. 20554

Re:

Application for Major Modification

Station KDAG(FM), Farmington, New Mexico

Dear Mr. Caton:

On behalf of GulfStar Communications New Mexico Licensee, Inc., there are submitted herewith an original plus two copies on FCC Form 301 of an application for major modification of Station KDAG(FM), Farmington, New Mexico, to upgrade the station facilities from Class C1 to Class C. Also submitted herewith is a check made payable to the Federal Communications Commission for the sum of Two Thousand Four Hundred Seventy Dollars (\$2,470.00) to cover the fee associated with this filing.

Should there be any questions regarding this matter, please contact the undersigned.

Very truly yours,

C. Brooke Temple III

C. Brook Tayoh The

Attachments 3676-033

Federal Communications Commission Washington, D. C. 20554

Approved by OMB 3060-0027 Expires 06/30/98

FOR FCC USE ONLY	
USE ONLY	

FCC 301

APPLICATION FOR CONSTRUCTION PERMIT FOR COMMERCIAL BROADCAST STATION

FOR COMMISSION USE ONLY	
FILE NO.	

		FILE NO.		
Cassian I CENTRAL PURO	DMATION .			
Section I - GENERAL INFO 1. APPLICANT NAME (L				
•	ions New Mexico Licens	ee, Inc.		
MAILING ADDRESS (Lin c/o Fisher Wayland:	e 1) (Maximum 35 characters) RLG			
MAILING ADDRESS (Lin 2001 Pennsylvania A	e 2) (Maximum 35 characters) evenue N.W., #400			
CITY Washington		STATE OR COUNTRY (ZIP CODE 20006
TELEPHONE NUMBER (i (202) 659-3494		CALL LETTERS KDAG	OTHER FCC IDE	NTIFIER (IF APPLICABLE)
2. A. Is a fee submitted with	n this application? for fee exemption (see 47 C.F.R.	Section 1 1112) and go to	Overtion 2	X Yes No
Governmental Ent		ducational licensee	Other (Please expl	ain).
		ducational licensee	Outer (1 lease expi	ши <i>)</i> .
C. If Yes, provide the follower in Column (A) the co	orrect Fee Type Code for the servi	ice you are applying for	Fee Type Codes m	any be found in the "Mass
Media Services Fee Filing	Guide." Column (B) lists the Follying the value of the Fee Type C	ee Multiple applicable fo	or this application.	Enter in Column (C) the
(A)	(B)	(C)		
(1) FEE TYPE CODE	FEE MULTIPLE (if required)	FEE DUE FOR FE CODE IN COLUI		FOR FCC USE ONLY
M T R	1	\$ 2,470.00		
To be used only when you	are requesting concurrent actions	which result in a require	ment to list more the	an one Fee Type Code.
(A)	(B)	(C)		FOR FCC USE ONLY
ADD ALL AMOUNTS SWOT	NATIONAL CONTROL OF A PRINCE CO.	TOTAL AMO	INT	
THROUGH (2), AND ENTER THIS AMOUNT SHOULD E		REMITTED WIT	H THIS	FOR FCC USE ONLY
REMITTANCE.	YOAL TOOK ENCLOSED	\$ 2,470.00		

Section I - GENERAL INFORMATION (Page 2) ∑ FM J_{AM} L J⊤v 3. This application is for: (check one box) (b) Channel No. or Frequency City State (b) Principal Community 245 Farmington NM (c) Check one of the following boxes: Application for NEW station KMAG MAJOR change in licensed facilities; call sign: ------MINOR change in licensed facilities; call sign: MAJOR modification of construction permit; call sign: -----File No. of construction permit; call sign: ------MINOR modification of construction permit; call sign: File No. of construction permit; call sign: AMENDMENT to pending application: Application File Number:

NOTE: It is not necessary to use this form to amend a previously filed application. Should you do so, however, please submit only Section I and those other portions of the form that contain the amended information.

4. Is this application mutually exclusive with a renewal application?

ٰ لـــا	Yes	X

If Yes, state:

Call letters	Community of License	
	City	State

No. 0408 - 3. 3/11 Mar F 1997 10:10AM SECTION VI - EQUAL EMPLOYMENT OPPORTUNITY PROGRAM Does the applicant propose to employ five or more full-time employees? If Yes, the applicant must include an EEO program called for in the separate Broadcast Equal Employment Opportunity Program Report (FCC Form 396-A). SECTION VII - CERTIFICATIONS Has or will the applicant comply with the public notice requirements of 47 C.F.R. Section 73.3580? Has the applicant reasonable assurance, in good faith, that the site or structure proposed in Section V of 2. this form, as the location of its transmitting antenna, will be available to the applicant for the applicant's intended purpose? Exhibit No. If No, attach as an Exhibit, a full explanation. If reasonable assurance is not based on applicant's ownership of the proposed site or structure, applicant certifies that it has obtained such reasonable assurance by contacting the owner or person possessing control of the site or structure. Name of person contacted: Telephone No. (include area code): Person contacted: (check one box below. Other (specify) By checking Yes, the applicant certifies, that, in the case of an individual applicant, he or she is not subject to a denial of federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. Section 862, or, in the case of a non-individual applicant (e.g., corporation, partnership or other unincorporated association), no party to the application is subject to a denial of federal benefits that includes FCC benefits pursuant to that section. For the definition of a "party" for these purposes, see 47 C.F.R. Section 1 2002(b).

The APPLICANT hereby waives any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)

The APPLICANT acknowledges that all the statements made in this application and attached Exhibits are considered material representations, and that all Exhibits are a material part hereof and incorporated herein.

The APPLICANT represents that this application is not filed for the purpose of impeding, obstructing, or delaying determination on any other application with which it may be in conflict.

In accordance with 47 C.F.R. Section, 1.65, the APPLICANT has a continuing obligation to advise the Commission, through amendments, of any substantial and significant changes in information furnished.

I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are not in good faith.					
Name GulfStar Communications New Mexico	Signature				
Licensee, Inc.		1 2 1 1 2 1 2 1			
Title —	`	11, 110			
PRESIDENT/(00	Date				
Typed or Printed Name of Person Signing	Dire	11 31.10-			
John Cullen		11 3/6/97			

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

SECTION V - B - FM BROADCAST ENG	GINEERING DATA		FOR COMMISSION File No. SSB Referral Date Referred By	USE ONLY	
Name of Applicant GULFS	TAR COMMUNICA	TIONS	NEW MEXICO L	ICENSEE, INC	
Call Letters (if issued)	Is this application bein	g filed in r	esponse to a window?	Yes	No No
KDAG	If Yes, specify closing	date:			
Purpose of Application: (check appropriate	boxes)				
Construct a new (main) facility	[Con	struct a new auxiliary	facility	
Modify existing construction permi	t for main facility	☐ Mod	lify existing construct	ion permit for auxil	ary facility
Modify licensed main facility	[☐ Mod	lify licensed auxiliary	facility	
If purpose is to modify, indicate below the n	ature of change(s) and sp	ecify the f	ile number(s) of the a	uthorizations affecte	ed.
Antenna supporting structure heigh	t [Effe	ective Radiated Power		
Antenna height above average terra	uin	Free	quency		
Antenna location		Clas	SS		
Main Studio location	1	One	-Step processing		
Directional Antenna	į	Otho	er(summarize)		
File Number(s) BALH-961	213 (KDAG)	,			
1. Allocation:			Class (check only one b	ox below)
Channel No. Principal c	ommunity to be served: City or Town	State	e	$\Box_{B1} \Box_{B}$	
245 SAN JUAN	FARMINGTON	1 N	IM C2		
 Exact location of antenna. (a) Specify address, city, county as landmark. KNICKERBOCKER (b) Geographical coordinates (to nearray. Otherwise, specify tower Latitude or West Longitude will) 	R PEAKS, SAN JUAN arest second). If mounte ocation. Specify South L	COUNTY, d on eleme	, NEW MEXICO ent of an AM array, s d East Longitude who	specify coordinates ere applicable; othe	of center of
Latitude 36° 48'	52 "	Longitude	107°	53 ່	32 "
3. Is the supporting structure the same application(s)? If Yes, give call letter(s) or file number	KTRA (FN	n) FARMING	proposed in another STON, NM (LIC), NEW-FI LATOR APPLICATIONS	M CH. 275C, KIRKLAN	ID, NM (APP)
If proposal involves a change in heig all other appurtenances, and lighting.	_	•	existing height above O CHANGE IS P	_	ing antenna.

Section V - B - FM BROADCAST ENGINEERING DATA (Page 2)

	Does the application propose to correct previous site coordinates? If Yes, list old coordinates.	Yes No
L	o , " o atitude Longitude	1 H
	Has the FAA been notified of the proposed construction?	Yes No
	If Yes, give date and office where notice was filed and attach as an Exhibit a copy of FAA determination, if available.	Exhibit No.
	Date Office where filed EXISTING STRUCTURE	
	List all landing areas within 8 km of antenna site. Specify distance and bearing from structure to neare runway. Landing Area Distance (km) Bearing (est point of the nearest (degrees True)
	(b)	
	(a) Elevation (to the nearest meter)	
	(1) of site above mean sea level;	2067 meters
	(2) of the top of supporting structure above ground (including antenna, all other appurtenances, _ and lighting if any); and	80 meters
	(3) of the top of supporting structure above mean sea level $[(a)(1) + (a)(2)]$.	2147 meters
	(b) Height of radiation center: (to the nearest meter) H = Horizontal; V = Vertical	
	(1) above ground;	69 meters
	-	69 meters
	(2) above mean sea level [(a)(1) + (b)(1)]; and SEE EXHIBIT E-1 -DOES NOT ADD CORRECTLY DUE TO	2135 meters
	ROUNDING ERRORS _	2135 meters 307 meters
	(3) above average terrain.	307 meters
	Attach as an Exhibit sketch(es) of the supporting structure, labeling all elevations required in Question 7 above, except item 7(b)(3). If mounted on an AM directional array element, specify heights and orientations of all array towers, as well as location of FM radiator.	Exhibit No.
	Effective Radiated Power:	
	(a) ERP in the horizontal plane 100 kw (H*) 100 kw (V*)	
	Is beam tilt proposed?	Yes N
	If Yes, specify maximum ERP in the plane of the tilted beam, and attach as an Exhibit a vertical elevation plot of radiated field. kw (H*) kw (V*)	Exhibit No.
	Polarization KW (H) KW (V*)	<u> </u>

Sect	ion V-B - 1	FM BROADCAS	T ENGINEERI	NG DATA (Page	2 3)					
10.	Does this proposal modify a new unbuilt construction permit for an unbuilt, unlicensed facility?							Yes	\boxtimes	No
		ion that construc	_	-		73.3535 that include the construction p		Exhibit No		
11.	Is a direct	ional antenna pro	posed?					Yes	X	No
		tach as an Exhibit d tabulations of th		h all data specific	ed m 47 C.F.R. S	ection 73.316, incl	uding	Exhibit No). 	
12.	Will the p	roposed facility sa	itisfy the require	ments of 47 C.F.F	R. Section 73.315	(a) and (b)?		X Yes		No
		ach as an Exhibi es of population a	_	_		including amount	ts and	Exhibit No).	
13.	Will the m	ain studio be with	nin the protected	3.16 mV/m field	strength contour	of this proposal?		X Yes		No
	If No, atta	nch as an Exhibit j	ustification pursi	ant to 47 C.F.R.	Section 73.1125.			Exhibit No).	
14.		plication being fil FCC 2d 4735 (rele			ant to the Report	& Order in MM D	ocket	X Yes		No
	demonstr Exhibit n 1985, Pul tower; (2 73.315; (requirem suitable f	rating that the pro- nust contain: (1) a blic Notice, Mime) a city coverage 3) a showing den	oposed allotment site an allotment site of 3693, or a state map, showing that a Section 73.20° stion.	It site is in comple map that comple emap that complement that the allotment site the allotment site the allotment site 7; and (4) a state	liance with the a lies with the requilent site will is in compliance meets the minim	ow and attach an E flotment standards direments of the A be located on an ex- e with 47 C.F.R. So num distance sepa oposed allotment	s. The pril 5, kisting ection tration	Exhibit No E-2).	
	Latitude	36°	48	52 "	Longitude	107°	53	•	32 "	
15.	(b) If the (c) If the (d) If the	ivers.	No. does 47 C.F s Yes, attach as s No and the ans and how it or they	an Exhibit a justi swer to (b) is No.	3 apply?	73.207? Ig a summary of problem of the statement described in the statemen		Yes Yes Exhibit N Exhibit N Yes		No No

If the answer to (e) is Yes, attach as an Exhibit a complete engineering study demonstrating

compliance with the minimum spacing requirements of 47 C.F.R. Section 73.215(e) and lack of prohibited overlap with the affected stations. The engineering study must include the following:

Exhibit No.

Section V - B - FM BROADCAST ENGINEERING DATA (Page 4)

- (1) Protected and interfering contours, in all directions (360°), for the proposed operation.
- (2) Protected and interfering contours, over pertinent arcs, of all short-spaced assignments, applications and allotments, including a plot showing each transmitter location, with identifying call letters or file numbers, and indication of whether facility is operating or proposed. For vacant allotments, use the reference coordinates as the transmitter location.
- (3) When necessary to show more detail, an additional allocation study utilizing a map with a larger scale to clearly show prohibited overlap will not occur.
- (4) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire Exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified.
- (5) The official title(s) of the map(s) used in the Exhibit(s).
- 16. Are there: (a) within 60 meters of the proposed antenna, any proposed or authorized FM or TV transmitters, or any nonbroadcast (except citizens band and amateur) radio stations; or (b) within the blanketing contour, any established commercial or government receiving stations, cable head-end facilities, or populated areas; or (c) within ten (10) kilometers of the proposed antenna, any proposed or authorized FM or TV transmitters which may produce receiver-induced intermodulation interference?

Yes No

If Yes, attach as an Exhibit a description of any expected, undesired effects of operations and remedial steps to be pursued if necessary, and a statement accepting full responsibility for the elimination of any objectionable interference (including that caused by receiver-induced or other types of modulation) to facilities in existence or authorized or to radio receivers m use prior to grant of this application. (See 47 C.F.R. Sections 73.315(b), 73.316(e) and 73.318.)

Exhibit No.
TECH.NAR

17. Attach as an Exhibit a 7.5 minute series U.S. Geological Survey topographic quadrangle map that shows clearly, legibly, and accurately, the location of the proposed transmitting antenna. This map must comply with the requirements set forth in Instruction V (D). The map must further clearly and legibly display the original printed contour lines and data as well as latitude and longitude markings, and must bear a scale of distance in kilometers.

Exhibit No.

E-3

18. Attach as an Exhibit (name the source) a map which shows clearly, legibly, and accurately, and with the original printed latitude and longitude markings and a scale of distance in kilometers:

Exhibit No.

- (a) the proposed transmitter location, and the radials along which profile graphs have been prepared;
- (b) the 3.16 mV/m and 1 mV/m predicted contours; and
- (c) the legal boundaries of the principal community to be served.
- 19. Specify area m square kilometers (1 sq. mi. = 2.59 sq. km.) and population (latest census) within the predicted 1 mV/m contour.

Area 16,343.4 sq. km.

Population **122,012**

20. For an application involving an auxiliary facility only, attach as an Exhibit a map (Sectional Aeronautical Chart or equivalent) that shows clearly, legibly, and accurately, and with latitude and longitude markings and a scale of distance in kilometers:

Exhibit No.

- (a) the proposed auxiliary 1 mV/m contour; and
- (b) the I mV/m contour of the licensed main facility for which the applied-for facility will be auxiliary. Also specify the file number of the license.

Section V-B - FM BROADCAST ENGINEERING DATA (Page 5)

21. Terrain and cov	erage data (to be calculated in accorda	ance with	47 C.F.R. Section 73.313)	
Source of terrain	in data: (check only one box below)			
Linearly is	nterpolated 30-second database		7.5 minute topograph	uic map
(Source	N.G.D.C. 3-SEC TERRAIN [DATAB	ASE)	
Linearly i	nterpolated 3-second database		Other (summarize)	
Radial Bearing	Height of radiation		Predicted	Distances
(degrees True)	center above average elevation of radial from 3 to 16 km (meters)	To t	he 3.16 mV/m contour (kilometers)	To the 1 mV/m contour (kilometers)
255 *	333.85		52.31	74.90
0	284.93		49.07	71.17
45	162.95		39.75	60.08
90	236.76		45.74	67.14
135	352.36		53.49	76.26
180	373.46		54.77	77.80
225	367.02		54.39	77.33
270	369.87		54.56	77.54
315	312.58		50.92	73.33
22. Environmental Would a Co have a signi	Statement. (See 47 C.F.R. Section 1.1 mmission grant of this application conficant environmental impact, including tion exceeding identified health and sastitute?	1301 et se ne within 4 3 exposure	q.) 47 C.F.R. Section 1.1307, su e of workers or the general pr	ch that it may Yes N
If you answ 1.1311.	er Yes, submit as an Exhibit an Enviro	onmental .	Assessment required by 47 C	E.F.R. Section Exhibit No.
If No, explain	briefly why not.	See T	echnical Narrative	h
I certify that I have examined and found	CE e prepared this Section of this appliced it to be accurate and true to the best	cation on	CATION behalf of the applicant, and owledge and belief.	d that after such preparation, I have
Name (Typed or Pr	inted) Timothy Z. Sawyer		Relationship to Applicant (e.g., Consulting Engineer) ical Consultant
Signature	a. Our) echnical Consultants Drive, Chevy Chase, MD 2081
Date March 6, 1997 Telephone No. (include Area Code)				

APPLICATION FOR FM CONSTRUCTION PERMIT

KDAG (FM)

GULFSTAR COMMUNICATIONS NEW MEXICO LICENSEE, INC. FARMINGTON, NEW MEXICO

CH 245C 100 KW 307 M HAAT

March 1997

T.Z. Sawyer Technical Consultants

Telephone:

(301) 913-9287

Toll Free:

(800) 255-2632

TeleFAX

(301) 913-5799

6204 Highland Drive

Chevy Chase, MD 20815-6610

Internet E-mail: engineers@sawyer.com



APPLICATION FOR FM CONSTRUCTION PERMIT

KDAG (FM)

GULFSTAR COMMUNICATIONS NEW MEXICO LICENSEE, INC. FARMINGTON, NEW MEXICO

CH 245C 100 KW 307 M HAAT

TABLE OF CONTENTS

FCC Form 301

Technical Narrative

Figure 1	Technical Specifications.
Figure 2	Allocation Study - FM Channel 245C
Figure 3	Other Stations within 16 Kilometers of Proposal.
Exhibit E-1	Proposed Antenna and Supporting Structure - Vertical Sketch
Exhibit E-2	One-Step Proposal Statements.
Exhibit E-3	Transmitter/Antenna Location - Site Map
Exhibit E-4	Map Showing Predicted Coverage Contours - 70 dBu & 60 dBu FCC(F50,50) Service Contours.
Exhibit E-5	Graphical Plot of Proposed Antenna Elevation Pattern.

APPLICATION FOR FM CONSTRUCTION PERMIT

KDAG (FM)

GULFSTAR COMMUNICATIONS NEW MEXICO LICENSEE, INC. FARMINGTON, NEW MEXICO

CH 245C 100 KW 307 M HAAT

TECHNICAL NARRATIVE

The technical exhibit, of which this narrative is part, was prepared on behalf of Gulfstar Communications New Mexico Licensee, Inc. in support of an application to modify the facilities of Station KDAG (FM), Farmington, New Mexico. KDAG operates on FM Channel 245C1 and seeks a one-step upgrade to full Class C operation. A new transmitter site is proposed which meets all appropriate FM channel spacing requirements, and complies with the "city of license" signal level requirements of the Commission's rules.

KDAG proposes operation on FM Channel 245C with an effective radiated power of 100 kilowatts and an antenna height above average terrain (HAAT) of 307 meters.

The proposal would not be subject to environmental processing in accordance with 47 C.F.R. §1.1306. This proposal does not involve a site location specified under 47 C.F.R. §1.1307 (a)(1)-(7), or involve high intensity lighting under 47 C.F.R. §1.1307(a)(8) or result in human exposure to radiofrequency radiation in excess of the applicable safety standards specified in 47 C.F.R. §1.1307(b). The Federal Aviation Administration has <u>not</u> been notified of this proposal. No change to the overall height of the existing antenna supporting structure is proposed.

This application conforms with all applicable rules and regulations of the Federal Communications Commission. General specifications for the proposed operation are included herein as Figure 1. Figure 2 contains an FM channel separation study, which shows that this proposal meets all required spacings in accordance with 47 C.F.R. § 73,207.

ANTENNA SUPPORTING STRUCTURE (EXHIBIT E-1)

The proposed transmitting facility will consist of an 8-bay FM antenna side-mounted on a uniform cross-section steel tower. Exhibit E-1 contains a vertical sketch of the proposed antenna and supporting structure. The tower is currently in use by co-owned FM Station KTRA, Channel 271C, Farmington, New Mexico, and is the application site for a NEW (FM), Channel 275C, Kirtland, New Mexico and FM Translator Stations, NEW-T, Channel 291D, Cedar Hill, New Mexico and NEW-T, Channel 300D, Flora Vista, New Mexico.

ONE-STEP APPLICATION PROCESSING (EXHIBIT E-2)

This application proposes a one-step upgrade in class of Station KDAG from 245C1 to 245C and meets all requirements for processing in accordance with the Commission's rules, the details of which are presented in Exhibit E-2.

TRANSMITTER SITE MAP (EXHIBIT E-3)

The antenna location is uniquely described by the following geographic coordinates, which were verified on the "AZTEC, NM." U.S.G.S. 7 ½ minute quadrangle map:

36° 48' 52" North Latitude

107° 53' 32" West Longitude.

A large-scale topographic map upon which the transmitter location has been marked, is included herein as Exhibit E-3.

COVERAGE CONTOURS (EXHIBIT E-4)

The predicted coverage contours were calculated in accordance with the provisions of 47 C.F.R. §73.313. In accordance with current FCC practice, no consideration was given to terrain roughness correction factors.

Page 3

The average terrain elevations from 3 to 16 kilometers from the proposed site were obtained from the N.G.D.C. <u>3-second</u> computer database. The standard eight radials evenly spaced at 45-degree intervals were used for determining the average terrain elevations and the distance to coverage contours. An additional radial at 255 degrees True was added to demonstrate compliance with the "city of license" coverage requirements.

The antenna radiation center heights above average terrain in the individual radial directions and the effective radiated power in the appropriate directions were used in conjunction with the F(50,50) curves of 47 C.F.R. §73.333 (Figure 1) to determine distances to the 70 dBu and 60 dBu contours. Exhibit E-4 is a map showing the predicted 60 dBu and 70 dBu coverage contours. As the map in Exhibit E-4 clearly shows, the 70 dBu (3.16 mV/m) contour from this proposal will encompass all of Farmington, New Mexico.

POPULATION AND AREA

The population to be served within the predicted 60 dBu contour was determined by a computer program that adds the population of census districts (at the block level) whose centroids lie within the contour. The 1990 U.S. Census data was employed. The area within the 60 dBu contour was calculated by a computer program using a root mean square algorithm. The predicted 60 dBu contour encompasses 16,343.4 square kilometers in which 122,012 persons reside.

OTHER CONSIDERATIONS

The "blanketing" contour of a 100-kilowatt FM station extends from the tower site a distance of 3.94 kilometers. The applicant recognizes its responsibility to remedy complaints of blanketing interference as required by 47 C.F.R. §73.318, and to protect existing facilities in accordance with applicable rules.

Figure 3 is a tabulation of "Other Stations" within 16 kilometers. No adverse impact (intermodulation or otherwise) on existing facilities or pending applications is anticipated. However, the applicant recognizes its responsibility to correct such matters if they occur as a result of its operation.

ENVIRONMENTAL CONSIDERATIONS

The proposed facilities were evaluated in terms of potential radiofrequency radiation exposure at ground level in accordance with the <u>revised OST/OET Bulletin No. 65</u>, "Evaluating Compliance With FCC-Specified Guidelines for Human Exposure to Radiofrequency Radiation." ¹

Power density contributions from the proposed operation were computed using the appropriate equations of the OST/OET bulletin. The horizontal and vertical polarized radiated maximum power is 100 kilowatts (200 kilowatts combined). Using a "worst-case" relative field pattern of 0.3 for all values 10 degrees and greater below the horizon from the antenna (see Exhibit E-5), the power density was computed at a level of 2 meters above ground to be 0.1357 mW/cm² or 13.57 % of the recommended limit of 1.0 mW/cm² for "controlled/occupational" exposure and 67.85 % of the recommended limit of 0.20 mW/cm² for "general public" exposure at the base of the supporting structure. Therefore, at ground level (and 2 meters above), at the base of the supporting structure, the potential for radiofrequency radiation exposure is well within the new (and old) FCC guidelines. However, as this is a proposed multiple use site, to be shared with co-owned FM Broadcast Station KTRA, Farmington, New Mexico, the contributions from Station KTRA must be considered in our calculations. KTRA employs an 8-bay antenna similar in design as that of the one proposed herein, and operates on 102.1 MHZ with an effective radiated power of 100 kilowatts,

ET Docket No. 93-62 as adopted on August 1, 1996 requires applicants to evaluated their facilities at two levels; the occupational exposure level and the general public exposure level. The new requirements were scheduled to take effect on January 1, 1997. However, the Commission has revised the effective date to September 1, 1997. As this proposal meets both the current and new exposure levels, the proposed facility was evaluated under the new guidelines.

employing circular polarization of its radiated signal. The center of radiation from the KTRA antenna is 62 meters above ground level. Using the same relative field value of 0.30 from the KTRA antenna, the computed power density at 2 meters above ground level is 0.1670 mW/cm² or 16.70 % of the recommended limit. The mathematical combination for the two stations would be 0.3027 mW/cm² or 30.27 % of the guideline for "controlled/occupational" exposure. Therefore, at ground level (and 2 meters above) at the base of the tower, the potential for radiofrequency radiation exposure will be well within the FCC guidelines for "controlled/occupational" exposure. No exposure in excess of the guidelines to workers is possible at ground level. The computed minimum distance from the antenna(s) is 24.5 meters, a location that occurs 37.5 meters above ground level.

If work is to be conducted on the antenna, or supporting structure, the power to the antenna will be terminated or reduced to an acceptable level as required to meet the exposure guidelines. Access to the tower is restricted by appropriate anti-climbing devices and a restrictive fence. Warning signs will be installed at the base of the tower to inform workers that the power to the antenna(s) must be terminated before any required maintenance can be performed on the tower within the "controlled" maximum permissible exposure (M.P.E.) area. Suitable training and supervision will be provided to ensure that those with access to the tower follow the appropriate procedures. A written agreement will be reached with all parties with operations on the tower in which all parties agree to coordinate any repair work or installation of equipment on the tower with all other users to insure compliance with the Commission's rules.

This is a closed communication site on a remote hill top, where the public would not normally have access. The computed power density at the base of the tower is 0.3051 mW/cm² or 152.55 % of the recommended limit of 0.20 mW/cm² for "general public" exposure. Warning signs will be placed at a distance of 45 meters (approximately 150 feet) from the base of the tower along all trails that lead to the tower site warning of the presence of radiofrequency energy above the maximum permissible level for the general public should they approach the tower site. The computed power

density level at a distance of 45 meters from the combined operations is 0.1970 mW/cm²; below the "general public" exposure level of 0.20 mW/cm². Therefore, the proposed operation is in compliance with the Commission's rules for exposure levels (M.P.E.) to workers and the general public.

Inquiries concerning the technical portion of this application should be directed to the office of the undersigned.

March 6, 1997

Timothy Z. Sawyer

T.Z. Sawyer Technical Consultants

6204 Highland Drive

Chevy Chase, MD 20815-6610

Tel.: (301) 913-9287

Internet E-mail: tzsawyer@sawyer.com

APPLICATION FOR FM CONSTRUCTION PERMIT

KDAG (FM)

GULFSTAR COMMUNICATIONS NEW MEXICO LICENSEE, INC. FARMINGTON, NEW MEXICO

CH 245C 100 KW 307 M HAAT

TECHNICAL SPECIFICATIONS

Channel: 245C Frequency: 96.9 MHZ

Site coordinates: (NAD27) 36° 48' 52" North Latitude

107° 53' 32" West Longitude

Site elevation above mean

sea level: 2066,54 m

Average elevation above mean

sea level of standard eight radials, 3-16 kilometers

N.D.G.C. 30-Second Terrain Database: 1827.63 m

Overall height of existing antenna structure (with beacon)

Above ground: 80.16 m

Above mean sea level: 2146.70 m

Height of FM antenna radiation center

Above ground: 68.58 m

Above mean sea level: 2135.12 m

Above average terrain: 307.49 m

(rounds to 307 m)

TECHNICAL SPECIFICATIONS							
KDAG (FM), FARMINGTON, NM							

FIGURE 1 SHEET 2 OF 2

100 KW

Transmitter: Maximum rated power output:	FCC type accepted 25.0 KW						
Transmission line:	* Andrew HJ8-50B						
Nominal diameter (over protective jacket): Nominal inside transverse dimensions: Dielectric: Rated power at frequency: Length: Efficiency (0.339 dB loss):	76.6 mm (≈ 3") 6.35 cm Air 37.6 KW 75 m 92.5 %						
Nondirectional FM Antenna:	* Shively Labs, Type 6810						
Number of Bays:	8						
Input power rating:	40 KW						
Polarization:	Circular						
Power gain: Horizontal polarization: Vertical polarization:	4.46 4.46						
Proposed Operation							
Transmitter power output:	24.25 KW						
Transmission line loss:	≈ 1.82 KW						
Antenna input power:	22.43 KW						
Effective radiated power:							
Horizontal polarization:	100 KW						

Vertical polarization:

^{*}Or equivalent device

APPLICATION FOR FM CONSTRUCTION PERMIT

KDAG (FM)

GULFSTAR COMMUNICATIONS NEW MEXICO LICENSEE, INC. FARMINGTON, NEW MEXICO

CH 245C 100 KW 307 M HAAT

ALLOCATION STUDY

FM SEPARATION STUDY

Channel 245C (96.9 MHz)				FCC DB Date : 02/21/97 Coordinates : 36-48-52 107-53-32				
		FCC File No.						
	DD CO	go RM8943 tion 0.8km Nor	96.5	.0	37 - 16 - 57 107 - 52 - 36	1.5	51.97 -43.03	
² KDA LI		ngton BLH820420AF			36-39-49 108-12-55		33.37 -236.63	
KCC LI		o BLH940217KC			38-44-43 104-51-41		342.37 52.37	
KCY CF Fr	M UT	BMPH940623ID 244C3-One-Ste	97.1	489.0				
KC)		BMPH970129ID			38-31-37 109-18-21		227.33 18.33	209 CLEAR
KKS LI		Fe BLH850926KA			35-46-50 106-31-35	132.8		105 CLEAR

^{**} End of separation study for channel 245C **

An alternate channel has been determined for the proposed Channel 243A allotment at Durango, Colorado, and will be advanced during the comment period.

Present operation of KDAG.